

Occupations and Health

Budget Perspectives 2023

Date

10th June 2022

Presenters

Brendan Walsh

Karina Doorley



Background

Relationship between health and work is nuanced

- Poor health can reduce employment or productivity
- Barriers and stigma may prevent people working
- Mental health problems in particular can impose large earnings penalties

Less is known about health across workers

- Some jobs can have direct effects on health
- Injury, stress, shift work more common in some occupations
- Workers with different health status may select into different jobs

Questions and Data


Does subjective and objective health differ across workers, non-workers, and workers with different occupations?

What about healthcare coverage?

Healthy Ireland Survey (2015-2020)

- 25,040 adults aged 25-65 years
- Self-reported health: *“How is your health in general?”*
- Multimorbidity: 2+ long-term health conditions
- Mental illness: *“Any emotional, nervous or psychiatric problems, such as depression or anxiety”*
- Healthcare coverage: Medical Card, GPVC, PHI


Workers have higher self-reported health



Source: See Figure 2.1 in "Self-reported health and multimorbidity"

Workers have lower morbidity rates

Multimorbidity



Source: See Figure 2.1 in "Self-reported health and multimorbidity"

Education gradient exists for non-workers


Very Good or Good Self-Reported Health



Source: See Figure 2.2 in "Self-reported health and multimorbidity"


Education gradient exists for non-workers

Very Good or Good Self-Reported Health




Source: See Figure 2.2 in "Self-reported health and multimorbidity"

Education gradient exists for non-workers




Source: See Figure 2.2 in "Self-reported health and multimorbidity"

Mental Illness higher in non-workers




Source: See Figure 3.1 in "Mental health"

Education gradient exists for non-workers




Source: See Figure 3.2 in "Mental health"

Smalls differences in health across occupations



Source: See Figure 4.1 in "Health in workers"

Larger differences for mental health across occupations



Source: See Figure 4.2 in "Health in workers"

Healthcare coverage

Ireland lacks universal access to free public healthcare


Many workers have no public (Medical Card) or private health insurance

- Coverage/costs can impact healthcare use for sick workers
- Workers may work when ill
- Spread illness (Covid-19), presenteeism, long-term health

Workers entitled to Illness Benefit



- New law likely to require 3 days sick leave for all workers

Large difference in healthcare coverage



Source: See Figures 5.2 in "Healthcare coverage"

Health and healthcare coverage are negatively correlated



Source: See Figure 5.3 in "Healthcare coverage"

Conclusions

Health status worse in non-workers

- This may reduce ability of some people to join workforce
- Reducing barriers within workplace may help integrate some workers
- Mental Illness rates in non-workers high – labour market participation and policies needed beyond current legislation

Health amongst workers

- Many occupations, with higher rates of multimorbidity and mental illness, have lower levels of healthcare coverage
- Illness benefit/sick pay may reduce healthcare cost concerns
- Sláintecare/universal healthcare may remedy cost concerns